

Prepared for:
FOV LLC

D9 100mg Milk Chocolate Bar

Batch ID or Lot Number: D9MMB10023248	Test: Potency	Reported: 13Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000255181	Started: 12Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 11Sep2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.845	2.645	105.700	2.30	# of Servings = 1, Sample Weight=45g
Cannabichromenic Acid (CBCA)	0.773	2.419	ND	ND	
Cannabidiol (CBD)	2.682	6.834	90.730	2.00	
Cannabidiolic Acid (CBDA)	2.751	7.009	ND	ND	
Cannabidivarin (CBDV)	0.634	1.616	ND	ND	
Cannabidivarinic Acid (CBDVA)	1.147	2.924	ND	ND	
Cannabigerol (CBG)	0.480	1.502	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	2.007	6.277	ND	ND	
Cannabinol (CBN)	0.626	1.959	18.160	0.40	
Cannabinolic Acid (CBNA)	1.369	4.283	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	2.391	7.478	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	2.171	6.791	103.710	2.30	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.924	6.017	ND	ND	
Tetrahydrocannabivarin (THCV)	0.437	1.366	<LOQ	<LOQ	
Tetrahydrocannabivarinic Acid (THCVA)	1.697	5.307	ND	ND	
Total Cannabinoids			318.300	7.00	
Total Potential THC			103.710	2.30	
Total Potential CBD			90.730	2.00	

Final Approval



Karen Winternheimer
13Sep2023
02:48:00 PM MDT

PREPARED BY / DATE



Sam Smith
13Sep2023
02:49:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/48df876c-0500-4948-af1c-032603bf40cc>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02
48df876c05004948af1c032603bf40cc.1